


## **RIP CORDS**

Polymer: Polyester / Nylon Product Code: KPPL RC







<u>Description:</u> Rip Cords have a primary objective of opening up the sheath of the PE or XPLE or any other insulating material or outer sheathing. Polyamide fibers are primarily used for this purpose, which have the inherent strength and force to rip open sheathings. We offer both Polyester and Nylon RIP Cords for cable manufacturing industries.

**Applications:** Power Cables, Instrumentation Cables, Tele Cables.

### **TECHNICAL SPECIFICATIONS**

PARAMETERS	STANDARDS	UNIT	SPEC RANGE
Denier	ASTM D 1907	Denier (D)	1000 X 3
			1500 X 3
			1000 X 2
GPD	ASTM D 2256	-	7.5
Elongation	ASTM D 2256	%	< 20
Heat Shrinkage	KPPL/QC/09	%	0 - 5

### OTHER SPECIFICATIONS CAN BE DONE UPON REQUEST AND SUBJECTED TO AGREEMENT.

### **PACKAGING STANDARDS**

SI No.	CORE ID (mm)	CORE LENGTH (mm)	PACKAGE OD (mm)	TRAVERSE LENGTH (mm)
1	91	170	200	150
2	94	170	200	150
3	107	170	200	150
4	150	170	200	150

#### Note:

- Package OD can be adjusted.
- Paper Tubes will be Slit for all sizes.
- Traverse and Core Length cannot be changed.

### OTHER PACKAGES CAN BE DONE UPON REQUEST AND SUBJECTED TO AGREEMENT



Mfd By:

# KALYANI POLYMERS PVT LTD

#46/1, 11km off Kanakapura Rd, Doddakallasandra, Bangalore - 560 062, India. Ph: +91-80-40991198 / 40991001 | Mobile: +91 - 9886480224 Mail: info@kalyanipolymers.com | Website: www.kalyanipolymers.com